

Lehni

Furniture Culture &

Metal Expertise

Price list EUR excl. VAT
July 2025

swiss made

Index

<u>02</u>	<u>General Information</u>
<u>03</u>	<u>Finishes and color chart</u>
<u>04</u>	<u>Care instructions</u>
System- und Storage furniture	
<u>06</u>	<u>Aluminium shelf</u>
<u>16</u>	<u>Office Shelf</u>
<u>19</u>	<u>Office storage unit, Pepe storage cart</u>
<u>20</u>	<u>Haiku cabinet</u>
<u>21</u>	<u>Modular cabinet</u>
<u>22</u>	<u>Shelving cabinet</u>
<u>25</u>	<u>Shoestorage/warsrobe system</u>
Beds und Sofa	
<u>27</u>	<u>Bed 1</u>
<u>28</u>	<u>Bed 2</u>
<u>29</u>	<u>Sofa</u>
Table and seats	
<u>30</u>	<u>Lehni table</u>
<u>32</u>	<u>Flex 2.0 table</u>
<u>32</u>	<u>Aluminium table 2</u>
<u>32</u>	<u>Folding table</u>
<u>32</u>	<u>Side table</u>
<u>33</u>	<u>Miori stool</u>
<u>33</u>	<u>Office bench</u>
<u>34</u>	<u>Anodised chairs</u>
<u>34</u>	<u>Ensō armchair</u>
Lights	
<u>36</u>	<u>Wall ceiling Lamp</u>
<u>36</u>	<u>Floor lamp</u>
Small furniture and accessories	
<u>38</u>	<u>Ovetto laundry bin</u>
<u>38</u>	<u>Screen</u>
<u>38</u>	<u>Coat stand Fellx</u>
<u>38</u>	<u>Rechaud</u>
<u>38</u>	<u>Serving tray</u>
<u>33</u>	<u>Aluminium Module</u>
<u>39</u>	<u>Removable frame</u>

Lehni Lehni Lehni Lehni Lehni

General Information

Prices

All prices listed in the price list are recommended retail prices excluding VAT and are valid until revised.

Delivery times

Indicated delivery times are always ex works Dübendorf (Switzerland). Standard delivery time is about 5 weeks.

Delivery surcharges

according to the terms of sale.

Colors & metal finishes

The available standard colours can be found on the product price sheet.

Special colors

From the RAL or NCS colour chart Surcharge of + 300.- per colour and order.

Dimensions

The dimensions given are basic dimension. Custom-made Available on request.

Outdoor

Products with this symbol are weatherproof and suitable for outdoor use.

Cancellations and claims

Cancellations or changes to orders are possible within 5 days of order confirmation. Complaints will only be accepted within 5 working days of receipt of the products. Subject to model, color and price changes. Delivered goods remain the property of Lehni AG until full payment has been received.

Aluminium blank (untreated)

Machining marks may be visible in the raw aluminium finish. They are not a reason for complaint.

Linoleum

Linoleum is a natural product which may show slight irregularities in the surface. They are no reason for complaint.

Wood


Every wood has individual structures and colours and its colour changes over time under the influence of light. This is not a reason for complaint.

Bananatex

Exposure to sunlight can generally cause colours to fade or yellow. Due to the deliberate avoidance of environmentally harmful finishing of the fabrics, the darker fabrics tend to fade more when exposed to strong sunlight.

Standard finishes - Color chart


Galvanised (for steel only)



Steel
galvanised

floral
galvanised

Untreated (for aluminium only)



Aluminium blank

Anodised (for aluminum only)




Aluminium clear
anodised

Aluminium
bronze anodised

Aluminium
brushed




Aluminium
bronze hell
eloxiert



Aluminium black
anodised

Powder-coated (for all metal types): Lehni colour chart




Signal white
RAL 9003

White aluminium
RAL 9006

Black
RAL 9005

Pearl copper
RAL 8029




Vermilion
RAL 2002

Zinc yellow
RAL 1018

Charcoal grey
NCS S 8502-B

Pearl beige
RAL 1035



Black red
RAL 3007

Oyster white
RAL 1013

Lehni blue
NCS S 7020-R80B

Fir green
RAL 6009

Care instructions

Metal: Care and cleaning of metallic and painted surfaces are problematic. Like window glass, they can be cleaned with water and a neutral cleaning agent. Wipe away dust with a dry microfiber cloth without pressure and dry with a clean cloth.

Important: Do not use alkaline, acidic or abrasive cleaning agents. Do not use abrasive or scratch-causing agents such as steel wool and sponges with scratchy surfaces must not be used.

Wood: The surface of veneered furniture is protected by varnish. It is sufficient to remove dust regularly with a soft, dry cloth or a slightly damp, supple leather in the direction of the wood fibers. in the direction of the wood grain. You can also add a little washing-up liquid to the water.

Forbidden: bleaching and acidic additives as well as all other all other cleaning, polishing or even scouring agents. Lacquered veneer surfaces must not be cleaned with microfiber cloths. Acidic liquids, e.g. fruit juices or alcohol, should be or alcohol, should be dabbed off immediately and the surface wiped with a damp cloth/leather.

Linoleum: Loose dirt can be removed with dust-binding cloths or vacuuming. To remove adhering neutral detergent (neutral pH value) in water according to the dissolve in water according to the manufacturer's instructions. Soak a soft soak a soft cloth with cleaning solution and wring out well. Wipe the linoleum surface clean.

Special notes: Particularly in the post-oxidation phase, linoleum a "yellow tint", the drying chamber film, develops on linoleum. This is particularly noticeable on light colors, but disappears completely when exposed to completely when exposed to UV light and the linoleum retains its original color. On the other hand, this "yellow tinge" reappears when the flooring surface is exposed to surface is covered with monitors, mouse pads, etc. for a longer period of time, but disappears disappears as described above as soon as the surface is

exposed to daylight again. exposed to daylight again. The drying chamber film cannot be removed technically impossible to remove.

-Flower pots and tubs made of terracotta or clay can leave discolorations on linoleum, please use suitable coasters.

-Hand and appliance disinfectants can cause stains due to their high solvent content. disinfectants can cause staining due to their high solvent content, please use suitable. If the linoleum surface needs to be disinfected, only use surface disinfectants suitable for linoleum disinfectants and test them before hand on a sample piece or on an a non-visible area.

-Coloring foods (e.g. ketchup, red wine, coffee, etc.) can leave stains behind if left for a long time stains that may not be able to be removed if left on for a long time. Please clean the surface immediately after cleaning.

-The desktop material can only withstand heat up to 50°. Rule of thumb: Can the object to be can still touch the object to be set down with regard to the heat emitted, then it can also be placed on the desktop material. Scratches can be removed to a certain extent with a shelled and skinned walnut by rubbing the white nut meat over the area and then wiping with a soft cotton cloth.

Upholstery fabrics: Like all materials in daily use, upholstery fabrics also require regular care, as they are also subject to constant dust and contact soiling. In general, soiling should not be allowed to become too intense so as not to make cleaning more difficult and to prolong durability.

The following applies in principle


-Vacuum regularly with a suitable upholstery nozzle or brush.

-Clean with a damp cloth every six months to maintain the elasticity of the fibers. velour fabrics once from left to right and once in the opposite direction allow to dry completely before use.



Aluminium Shelf, design Andreas Christen

Material Aluminium 1.5 mm



Shelf modules

alu blank raw


Lehni colors

alu clear anodised

brushed aluminium


AR 2208841	220 / 88 / 41	7 Shelves	20 kg
AR 2208833	220 / 88 / 33	7 Shelves	20 kg
AR 2208825	220 / 88 / 25	7 Shelves	20 kg

1'866.-	2'007.-
1'697.-	1'809.-
1'512.-	1'625.-




AR 2204441	220 / 44 / 41	7 Shelves	19 kg
AR 2204433	220 / 44 / 33	7 Shelves	19 kg
AR 2204425	220 / 44 / 25	7 Shelves	19 kg

1'640.-	1'753.-
1'457.-	1'562.-
1'279.-	1'371.-









AR 1808841	180 / 88 / 41	5 Shelves	17 kg
AR 1808833	180 / 88 / 33	5 Shelves	17 kg
AR 1808825	180 / 88 / 25	5 Shelves	17 kg

1'460.-	1'567.-
1'323.-	1'409.-
1'182.-	1'263.-



AR 1804441	180 / 44 / 41	5 Shelves	16 kg
AR 1804433	180 / 44 / 33	5 Shelves	16 kg
AR 1804425	180 / 44 / 25	5 Shelves	16 kg

1'294.-	1'381.-
1'147.-	1'228.-
1'011.-	1'077.-



Shelf modules

alu blank raw
alu clear anodised

Lehni colors
brushed aluminium

AR 958841	95 / 88 / 41	3 Shelves	16 kg	916.-	979.-
AR 958833	95 / 88 / 33	3 Shelves	16 kg	837.-	893.-
AR 958825	95 / 88 / 25	3 Shelves	16 kg	756.-	811.-




AR 954441	95 / 44 / 41	3 Shelves	7 kg	818.-	869.-
AR 954433	95 / 44 / 33	3 Shelves	7 kg	733.-	786.-
AR 954425	95 / 44 / 25	3 Shelves	7 kg	655.-	701.-

AR 758841	75 / 88 / 41	3 Shelves	12 kg	870.-	931.-
AR 758833	75 / 88 / 33	3 Shelves	12 kg	795.-	847.-
AR 758825	75 / 88 / 25	3 Shelves	12 kg	724.-	771.-

AR 754441	75 / 44 / 41	3 Shelves	6 kg	772.-	821.-
AR 754433	75 / 44 / 33	3 Shelves	6 kg	691.-	740.-
AR 754425	75 / 44 / 25	3 Shelves	6 kg	623.-	661.-

AR 5258841	52,5 / 88 / 41	3 Shelves	6 kg	682.-	730.-
AR 5258833	52,5 / 88 / 33	3 Shelves	6 kg	628.-	662.-
AR 5258825	52,5 / 88 / 25	3 Shelves	6 kg	570.-	610.-

AR 5254441	52,5 / 44 / 41	3 Shelves	3 kg	614.-	654.-
AR 5254433	52,5 / 44 / 33	3 Shelves	3 kg	556.-	588.-
AR 5254425	52,5 / 44 / 25	3 Shelves	3 kg	500.-	534.-



Side without footboard

AS 22040	220 / 40
AS 22032	220 / 32
AS 22024	220 / 24
AS 18040	180 / 40
AS 18032	180 / 32
AS 18024	180 / 24
AS 9540	95 / 40
AS 9532	95 / 32
AS 9524	95 / 24
AS 7540	75 / 40
AS 7532	75 / 32
AS 7524	75 / 24
AS 52540	52.5 / 40
AS 52532	52.5 / 32
AS 52524	52.5 / 24

alu blank raw

alu clear anodised

Lehni colors

brushed aluminium

315.-	340.-
273.-	294.-
228.-	246.-
260.-	281.-
223.-	241.-
187.-	200.-
167.-	179.-
148.-	161.-
129.-	140.-
144.-	155.-
127.-	138.-
113.-	120.-
124.-	135.-
112.-	119.-
98.-	107.-

Footboard

AF 4011	40
AF 3211	32
AF 2411	24

nickel-plated

38.-
34.-
32.-

Stability cross



AS 8511	85
AS 4111	41

62.-
54.-






Stability cross for back to back Shelf

AD 8511	85
AD 4111	41

72.-
62.-



Cover side			alu blank raw	Lehni colors
			alu clear anodised	brushed aluminium
AE 22040	220 / 36.3		293.-	316.-
AE 22032	220 / 28.3		269.-	291.-
AE 22024	220 / 20.3		245.-	264.-
AE 18040	180 / 36.3		239.-	259.-
AE 18032	180 / 28.3		215.-	232.-
AE 18024	180 / 20.3		191.-	207.-
AE 9540	95 / 36.3		158.-	169.-
AE 9532	95 / 28.3		145.-	158.-
AE 9524	95 / 20.3		134.-	144.-
AE 7540	75 / 36.3		141.-	151.-
AE 7532	75 / 28.3		134.-	144.-
AE 7524	75 / 20.3		123.-	134.-
AE 52540	52.5 / 36.3		126.-	137.-
AE 52532	52.5 / 28.3		120.-	130.-
AE 52524	52.5 / 20.3		115.-	124.-
Full back panel				
AR 22088	220 / 88	8.5 kg	557.-	601.-
AR 22044	220 / 44	4.5 kg	396.-	428.-
AR 18088	180 / 88	7 kg	445.-	482.-
AR 18044	180 / 44	3.5 kg	335.-	361.-
AR 9588	95 / 88	3 kg	285.-	308.-
AR 9544	95 / 44	2 kg	210.-	227.-
AR 7588	75 / 88	3 kg	256.-	276.-
AR 7544	75 / 44	1.5 kg	189.-	202.-
AR 52588	52.5 / 88	2.20 kg	187.-	200.-
AR 52544	52.5 / 44	1.2 kg	137.-	147.-
Cut-out for cable entry			67.-	



Shelves - maximum load 20 kg distributed across the width

AT 8541	85 / 41	2 kg
AT 8533	85 / 33	1.7 kg
AT 8525	85 / 25	1.3 kg
AT 4141	41 / 41	0.95 kg
AT 4133	41 / 33	0.80 kg
AT 4125	41 / 25	0.70 kg

alu blank raw
alu clear anodised

Lehni colors
brushed aluminium

148.-	161.-
137.-	147.-
124.-	135.-
118.-	127.-
105.-	114.-
93.-	101.-

Reinforcement for shelf - 1 reinforcement for loads from 20 to 35 kg.

2 reinforcements for loads from 35 to 100 kg.

AV 85	85	0.85 kg
-------	----	---------

97.-	104.-
------	-------

Bookends

AB 3218	32 / 18
AB 2415	24 / 15

41.-	45.-
38.-	40.-

Pull-out shelf - maximum load 20 kg distributed across the width

AA 8541	85 / 41
AA 8533	85 / 33
AA 4141	41 / 41
AA 4133	41 / 33




305.-	317.-
285.-	296.-
273.-	283.-
254.-	263.-

Intermediate shelf for sliding/ slide-in door - maximum load 20 kg distributed across the width

AZ 8536	85 / 36
AZ 8528	85 / 28
AZ 8520	85 / 20
AZ 4136	41 / 36
AZ 4128	41 / 28
AZ 4120	41 / 20

143.-	153.-
129.-	140.-
118.-	127.-
115.-	124.-
103.-	112.-
90.-	96.-

Shelf special finish



Top shelf for back to back shelves

AD 8585	85 / 85	including reinforcement up to 40kg
AD 8569	85 / 69	including reinforcement up to 40kg
AD 8553	85 / 53	including reinforcement up to 40kg
AD 4185	41 / 85	
AD 4169	41 / 69	
AD 4153	41 / 53	

alu blank raw
alu clear anodised

Lehni colors
brushed aluminium

455.-	488.-
434.-	464.-
315.-	339.-
207.-	223.-
182.-	199.-
164.-	175.-

Linoleum cover

AL 44	Shelf width 44 / Tiefe 41 / 33 / 25
AL 88	Shelf width 88 / Tiefe 41 / 33 / 25
AL 132	Shelf width 88 und 44 / Tiefe 41 / 33 / 25
AL 176	Shelf width 88 und 88 / Tiefe 41 / 33 / 25

nero 4023 (NCS 9000-N)
pebble 4175 (NCS 3502-Y)

474.-
507.-
546.-
580.-


Linoleum cover for back to back shelves

ALD 44	Shelf width 44 / Tiefe 85 / 69 / 53
ALD 88	Shelf width 88 / Tiefe 85 / 69 / 53
ALD 132	Shelf width 88 und 44 / Tiefe 85 / 69 / 53
ALD 176	Shelf width 88 und 88 / Tiefe 85 / 69 / 53

507.-
587.-
660.-
727.-

Linoleum other colors (Forbo desktop)

4%




Inclined shelf

AS 8550	85 / 50
AS 8541	85 / 41
AS 8533	85 / 33
AS 4150	41 / 50
AS 4141	41 / 41
AS 4133	41 / 33

alu blank raw
alu clear anodised

Lehni colors
brushed aluminium


174.-	189.-
155.-	168.-
143.-	153.-
143.-	153.-
124.-	135.-
112.-	119.-



Slide-in door

AK 8540	85 / 40	1.9 kg
AK 8535	85 / 35	1.7 kg
AK 8530	85 / 30	1.5 kg
AK 8525	85 / 25	1.3 kg
AK 4140	41 / 40	1.1 kg
AK 4135	41 / 35	1 kg
AK 4130	41 / 30	0.9 kg
AK 4125	41 / 25	0.8 kg
Lock for slide-in door		


234.-	254.-
230.-	248.-
227.-	245.-
223.-	241.-
221.-	239.-
218.-	234.-
215.-	232.-
212.-	230.-
136.-	



Slidings doors

AS 8540	85 / 40	1.8 kg
AS 8535	85 / 35	1.7 kg
AS 8530	85 / 30	1.5 kg
AS 8525	85 / 25	1 kg
Lock for slide-in door		





212.-	230.-
207.-	223.-
200.-	217.-
194.-	210.-
136.-	



Back panel for slide-in and sliding doors

AR 8540	85 / 40
AR 8535	85 / 35
AR 8530	85 / 30
AR 8525	85 / 25
AR 4140	41 / 40
AR 4135	41 / 35
AR 4130	41 / 30

193.-	209.-
189.-	202.-
187.-	200.-
182.-	197.-
174.-	189.-
168.-	181.-
167.-	179.-



Drawer with full-extension runner maximum load 15 kg distributed across the width

			alu blank raw alu clear anodised	Lehni colors brushed aluminium
AS 85411	85 / 40 / 10	4 kg	295.-	314.-
AS 85331	85 / 32 / 10	3.5 kg	273.-	290.-
AS 85251	85 / 24 / 10	2.65 kg	249.-	263.-
AS 41411	41 / 40 / 10	2.9 kg	241.-	256.-
AS 41331	41 / 32 / 10	2.5 kg	228.-	241.-
AS 41251	41 / 24 / 10	1.85 kg	217.-	230.-

Drawer with full-extension runner - maximum load 15 kg distributed across the width

AS 8541115	85 / 40 / 15	4.2 kg	322.-	341.-
AS 8533115	85 / 32 / 15	3.6 kg	295.-	314.-
AS 8525115	85 / 24 / 15	2.8 kg	272.-	288.-
AS 4141115	41 / 40 / 15	3 kg	254.-	269.-
AS 4133115	41 / 32 / 15	2.6 kg	241.-	256.-
AS 4125115	41 / 24 / 15	1.9 kg	230.-	243.-

Cover rail



		alu blank raw alu clear anodised	Lehni colors brushed aluminium
AA 40	40	38.-	40.-
AA 32	32	34.-	38.-
AA 24	24	32.-	34.-
AA 80	80	57.-	61.-
AA 64	64	52.-	57.-
AA 48	48	49.-	52.-

Storage tray

AS 3324	33 / 24	57.-	73.-
---------	---------	------	------

Felt mat for seat bench only for 88 cm width

		anthracite
AF 8541	85 / 41	126.-
AF 8533	85 / 33	105.-



Clothes rail			stainless steel
AK 85	85		104.-
AK 41	41		74.-
Frame with swivel castors - maximum load 100kg - for all types of floors			black
AR 8541	85 / 41		358.-
AR 8533	85 / 33		353.-
AR 8525	85 / 25		346.-
AR 4141	41 / 41		309.-
AR 4133	41 / 33		305.-
AR 4125	41 / 25		295.-
Connecting sleeve			
AV 2911	2.9	< 180 cm 4 pcs. per shelf connection	4.-
		> 180 cm 6 pcs. per shelf connection	
Bracket for wall mounting			
			10.-

Aluminium Shelf for Project (Library rooms, archive rooms, generally high load requirements)

For specific archival or library projects, Lehni offers the aluminum shelf by making some technical modifications to ensure maximum stability and function. Specifically, aluminum sheet metal with a thickness of 2 mm (standard 1.5 mm) is used; this allows for a load of up to 40 kg per shelf. Adjustable feet allow, if the floor is not level, to adjust the height and achieve the required stability. The intermediate shelves are hung and not screwed, this allows the shelves to be adjusted freely in a 2.5 cm raster. The offer will be specific according to the submitted design.



Adjustable feet








Side Raster 2.5 cm



Shelf reinforcement 2 mm Aluminium





Office shelf modules with footboard and back panels

alu clear anodised Lehni colors

OR 1958040	195 / 80 / 40	6 Shelves	18 kg	1'948.-	2'099.-
OR 1578040	157 / 80 / 40	5 Shelves	17 kg	1'638.-	1'765.-
OR 1198040	119 / 80 / 40	4 Shelves	16 kg	1'316.-	1'417.-
OR 0818040	81 / 80 / 40	3 Shelves	15 kg	946.-	1'043.-

Side without footboard

OS 19440	194 / 40	256.-	276.-
OS 15640	156 / 40	220.-	238.-
OS 11840	118 / 40	178.-	193.-
OS 07940	79 / 40	124.-	135.-

Cover side

OA 194	194 / 36.5	119.-	129.-
OA 156	156 / 36.5	106.-	115.-
OA 118	118 / 36.5	90.-	96.-
OA 079	79 / 36.5	59.-	64.-

Shelves - maximum load 20 kg distributed across the width






OT 7540	75 / 40	2 kg	132.-	143.-
OV 75	75	Shelf reinforcement 0.85 kg	97.-	104.-

Intermediate shelf - maximum load 20 kg distributed across the width

BZ 7536	75 / 36	2 kg	109.-	119.-
---------	---------	------	-------	-------

Back panel between two shelves

OR 8038	80 / 38	1.5 kg	106.-	115.-
---------	---------	--------	-------	-------



Slide-in door

alu clear anodised Lehni colors

OE 7535	75 / 35		1.5 kg	257.-	278.-
OES 7535	75 / 35	with lock	1.5 kg	359.-	379.-

Schublade mit Front

OS 7518	75 / 17.5		4 kg	292.-	315.-
OSS 7518	75 / 17.5	with lock	4 kg	393.-	421.-
OS 7512	75 / 11.6		3.5 kg	262.-	283.-
OSS 7512	75 / 11.6	with lock	3.5 kg	364.-	389.-

Drawer with front




OS 7535	75 / 35		5 kg	410.-	443.-
OSS 7535	75 / 35	with lock	5 kg	512.-	549.-

Slide-in inclined shelf

OE 7540	75 / 40		2 kg	215.-	232.-
---------	---------	--	------	-------	-------

Pull-out shelf - maximum load 20 kg distributed across the width

OA 7535	75 / 35		2.5 kg	301.-	325.-
---------	---------	--	--------	-------	-------



Drawer dividers

alu clear anodised Lehni colors

BS 169236	16.9	32.-	34.-
BS 140236	13.9	29.-	32.-
BS 080236	8.0	28.-	31.-
BS 051236	5.1	25.-	28.-

Additional weight

black

OZ 72002	72 / 10	162.-
----------	---------	-------

Castor wheel set - maximum load 100kg - for all types of floors

galvanised

OL		72.-
----	--	------

Connecting sleeve






OV 4711	4.7	4 pcs. per shelf connection	7.-
---------	-----	-----------------------------	-----

Storage tray

AS 3724	37 / 24	57.-	73.-
---------	---------	------	------

Office Drawer Storage Unit, design Andreas Christen

Material Aluminium 1.5 mm



Office drawer storage unit with adjustable feet

alu clear anodised Lehni Colors

OK 46	57 / 41.4 / 60	drawers A4 / A6		1'196.-	1'292.-
OK 6	57 / 41.4 / 60	drawers A6		1'337.-	1'444.-
OKS 46	57 / 41.4 / 60	drawers A4 / A6	with lock	1'293.-	1'389.-
OKS 6	57 / 41.4 / 60	drawers A6	with lock	1'434.-	1'542.-

Office drawer storage unit with wheels




OR 46	62 / 41.4 / 60	drawers A4 / A6		1'255.-	1'356.-
OR 6	62 / 41.4 / 60	drawers A6		1'405.-	1'516.-
ORS 46	62 / 41.4 / 60	drawers A4 / A6	with lock	1'358.-	1'459.-
ORS 6	62 / 41.4 / 60	drawers A6	with lock	1'577.-	1'619.-

Storage tray

OA 2732	27.2 / 32.4		38.-	41.-
OA 2716	27.2 / 16.2		27.-	29.-

Pepe Rolling Storage Cart, design Hanspeter Weidmann

Material Aluminium 1.5 mm



Pepe

alu clear anodised Lehni Colors

PE 7805	78 / 33 / 33	8 kg Carcase standard clear anodised Surcharge for carcase monochrome or powder-coated	828.-	894.- 113.-
---------	--------------	--	-------	----------------

Pair of drawers - maximum load 5 kg





PS			198.-	213.-
----	--	--	-------	-------

Tray

PS 155			44.-	48.-
--------	--	--	------	------

Haïku Cabinet, design Frédéric Dedelley

Material Aluminium



Haïku Cabinet

without accessories

alu clear anodised

KH 20012060

200 / 120 / 60

78 kg

5'415.-

KG 1930
KR

Handle bar clear anodised or Lehn colors powder coated
Rahmen Colour choice lacquered

no surcharge
no surcharge

Shelf - maximum load 15 kg distributed across the width

KT 12060

115 / 55

145.-

KT 6060

56 / 55

Partition element required

106.-

Drawer / additional drawer maximum load 15 kg distributed across the width

KS 6060

56 / 52

Schublade

330.-

KZ 6060

56 / 52

Zusatzschublade

330.-

Partition element (vertical)

KT 160

160 / 2.7

Clothes rail

chrome-plated

KK 12008

115

124.-

KK 6008

56

Separating element required

65.-

Scarf and tie rack

SM 1508

15

with mirror

139.-

Side bar

KS 2508

25


107.-

Modular cabinet, design Andreas Christen

Material Aluminium


Basic module

alu clear anodised Lehni colors




KG 20215260 KS 11	202 / 152 / 60	without accessories Schloss	50 kg	3'713.- 60.-	4'027.-
KS 2000682	Mirror mounted on the inner side			558.-	

Add-on module




KA 2027360	202 / 73.5 / 60	without accessories	20 kg	1573.-	1762.-
------------	-----------------	---------------------	-------	--------	--------

Shelf / pull-out shelf



KT 7354	73 / 54	Shelf 2 kg	97.-	111.-
KA 6754	67 / 54	Pull-out shelf 2.5 kg	227.-	252.-




Drawer maximum load 15 kg distributed across the width

KS 6754	67 / 54	3.2 kg	305.-	341.-
---------	---------	--------	-------	-------

Clothes rail

stainless steel



KK 73	73		104.-	
-------	----	--	-------	--






Partition wall

TA 20048	200 / 48	Aluminium	153.-	171.-
----------	----------	-----------	-------	-------




Shelving Cabinet, design Andreas Christen

Material Aluminium

General remark: Inside colourless anodized not possible => standard black or white
Custom made dimensions not possible



Shelf cabinet without door lock		without accessories	alu clear anodised	Lehni colors
BK 1848040	184 / 80 / 40	42 kg	3'259.-	3'521.-
BK 1498040	149 / 80 / 40	35 kg	2'909.-	3'142.-
BK 1148040	114 / 80 / 40	24 kg	2'544.-	2'747.-
BK 0788040	78 / 80 / 40	22 kg	2'168.-	2'342.-
Shelf cabinet with door lock		without accessories		
BS 1848040	184 / 80 / 40	42 kg	3'403.-	3'665.-
BS 1498040	149 / 80 / 40	35 kg	3'051.-	3'285.-
BS 1148040	114 / 80 / 40	24 kg	2'690.-	2'890.-
BS 0788040	78 / 80 / 40	22 kg	2'312.-	2'483.-
Base + top in lehni color one-off			171.-	
Cut-out for cable routing in rear panel			57.-	
Intermediate shelf / bottom shelf				
BZ 7536	75 / 36		109.-	119.-
Pull-out shelf				
BA 750350	75 / 35		301.-	325.-
Hanging file drawer				black, white
BH 750350	75 / 35			351.-
Drawer with handle bar				
BS 172	17.2			332.-
BS 143	14.3			317.-
BS 084	8.4			297.-



Drawer partitioning

BS 169236	16.9
BS 140236	13.9
BS 080236	8.0
BS 051236	5.1

alu clear anodised black, white

32.-	34.-
29.-	32.-
28.-	31.-
25.-	28.-




Base weight

BB 720	72 / 35
--------	---------

black

327.-





Shoe tip

			Carcass Steel	galvanized	galvanized
			front elements	galvanized	Lehni colors
			front elements	flowery galvan.	
SKB	165 / 53 / 16	wide (10 tipping points)	22 kg	1'103.-	1'157.-
SKS	165 / 32 / 16	narrow (5 tipping points)	12 kg	719.-	756.-
SKS	165 / 32 / 16	narrow (4 tipping points)	12 kg	719.-	756.-

Mirror cabinet

			Carcass Steel		galvanized
			front elements		Lehni colors
SSN	165 / 32 / 16	1 shelv, 4 nylon nets black	12 kg		1026.-
SST	165 / 32 / 16	7 shelves	12 kg		1153.-

Mesh / tray container

			Carcass Steel		galvanized
			front elements		Lehni colors
NC	165 / 32 / 16	5 nylon nets black	10 kg	543.-	
TC	165 / 32 / 16	7 shelves	10 kg		709.-

Folding wardrobe

			Carcass Steel		galvanized
			front elements		Lehni colors
KG	165 / 53 / 16 - 30		13 kg		687.-

General informations



MONOCHROME: CARCASS THE SAME COLOR AS FRONT ELEMENTS each module + 111.-

- * Wide shoe tip: 6 shoe holders included in the scope of delivery
- * Shoe tip wide: top tipper H 33 cm, remaining tippers H31 cm
- * Shoe tip narrow 5 tips: top tip H 33 cm, remaining tip 31 cm
- * Shoe bin narrow 4 bins: top flap H 38 cm, remaining flap H 35 cm



Bed 1, design Andreas Christen

Material Steel



Bed frame (Steel profile)

Max. Insertion depth 4.8 cm

Lehni colors

BE 09020028	090 / 200 / 28	34.5 kg with insert frame	1'735.-
BE 10020028	100 / 200 / 28	38 kg with insert frame	1'834.-
BE 12020028	120 / 200 / 28	51.5 kg with insert frame	1'989.-
BE 14020028	140 / 200 / 28	53.5 kg with insert frame	2'144.-
BE 16020028	160 / 200 / 28	61.5 kg with insert frame	2'299.-
BE 18020028	180 / 200 / 28	72 kg with insert frame	2'453.-
BM 101	Mounting kit	for 1 storage frame	44.-
BM 102	Mounting kit	for 2 storage frames incl. longitudinal support	133.-
Special height and width possible			243.-

Insert frame

Riposa

incl. mounting kit

Flatflex 0

Fixed headboard

Flatflex 1

Kopfteil verstellbar

BE 088197	088 / 197		667.-	728.-
BE 098197	098 / 197		800.-	883.-
BE 118197	118 / 197		965.-	1'068.-
BE 138197	138 / 197		1'128.-	1'242.-
BE 158197	158 / 197	2 Einlagerahmen	1'406.-	1'528.-
BE 178197	178 / 197	2 Einlagerahmen	1'406.-	1'528.-

Special width-length insert frame

10%

Special designs


Adjustable footboard up to 2cm

166.-

Bed on castors

332.-

Bed 2, design Andreas Christen



Bed frame (aluminium)

incl. plywood insert with head support

alu clear anodised alu black anodised

alu bronze light anodised


BA 09020028
BA 10020028

090 / 200 / 28
100 / 200 / 28

19.3 kg incl. Plywood
28.5 kg incl. Plywood

2'204.-
2'343.-

2'423.-
2'577.-



BA 12020028
BA 14020028
BA 16020028
BA 18020028
BA 20020028


120 / 200 / 28
140 / 200 / 28
160 / 200 / 28
180 / 200 / 28
200 / 200 / 28

32 kg incl. Plywood
38 kg incl. Plywood
40.5 kg incl. Plywood
45.3 kg incl. Plywood
50 kg incl. Plywood

2'607.-
2'861.-
3'179.-
3'312.-
3'438.-

2'868.-
3'147.-
3'498.-
3'644.-
3'782.-

Lehni Sofa, design Antonio Monaci



Fabric requirements

Steel structure in Lehni Colors powder coated

SO 200 202 / 85 63 kg without fabric cover, but incl. Upholstery 6'796.-

For fabric width 140 cm: 5.3 lm for plain colors / otherwise: seat cushion à 2.4 lm, pair of back cushions à 0.8 lm, pair of arm cushions à 0.9 lm

Fabric costs


		PG 1	PG 2	PG 3	PG 4	PG 5
SS 200	Seat cushion	464.-	597.-	663.-	796.-	928.-
SR 64	Pair of back cushions	155.-	199.-	221.-	265.-	309.-
SA 84	Arm cushion pair	175.-	224.-	249.-	298.-	348.-

Replacement fabric including sewing +20% on the fabric price

Price groups PG

Kvadrat fabrics

	PG 1	PG 2	PG 3	PG 4	PG 5
Broken Twill Wea.	Atlas	Ara	Harald 3	Balder 3	
Encircle	Atrium Outdoor	Clara 2	Molly 2	Divina 3	
Haku	Canvas 2	Field 2	Raas	Divina MD	
Hero 2	Floyd	Fiord 2	Remix 3	Divina Melange 3	
Patio Outdoor	Floyd Screen	Foss	Revive 1	Hallingdal 65	
Reflect	Jaali	Recheck	Steelcut 3	Sisu	
Steelcut Beat	Maple	Remix Screen	Steelcut Trio 3	Vidar 4	
Relate Screen	Melange Nap	Steelcut Quartet	Sunniva 3		
Relate	Memory 2	Technicolour Fle.	Tonica 2		
	Re-wool 2		Tonus 4		
	Sabi		Twill Weave		
	Savanna				
	Still				



Lehni table (steel frame 30x30)	max. 140x140 cm or 140x280 cm other sizes on request	Synthetic resin Wood veneer or Kunstharz		
		Argolite	Linoleum MDF nero-linol nero	Fenix
L	bis 0,61 m2	1'973.-	2'106.-	2'148.-
L	0.61 - 0.80	2'181.-	2'327.-	2'374.-
L	0.81 - 1.00	2'396.-	2'559.-	2'611.-
L	1.01 - 1.20	2'608.-	2'794.-	2'849.-
L	1.21 - 1.40	2'854.-	3'050.-	3'111.-
L	1.41 - 1.60	3'093.-	4'435.-	3'374.-
L	1.61 - 1.80	3'320.-	3'552.-	3'624.-
L	1.81 - 2.00	3'546.-	3'797.-	3'873.-
L	2.01 - 2.20	3'840.-	4'110.-	4'192.-
L	2.21 - 2.40	4'134.-	4'422.-	4'510.-
L	2.41 - 2.60	4'434.-	4'745.-	4'840.-
L	2.61 - 2.80	4'745.-	5'071.-	5'173.-
L	2.81 - 3.00	5'120.-	5'414.-	5'522.-
L	3.01 - 3.20	5'425.-	5'803.-	5'919.-
L	3.21 - 3.40	5'791.-	6'157.-	6'279.-
L	3.41 - 3.60	6'217.-	6'583.-	6'715.-

Standard version

Frame Lehni colours

Front side occupied free of charge **Argo synthetic resin** edelweiss 377, grauweiss 330, schwarz 218, graubeige 296

Front side occupied free of charge **Fenix synthetic resin** 0718 grigio Londra, 0768 grigio Stromboli, 0720 nero Ingo, 4330 rosso jaipur

Front side occupied not possible **Linoleum** nero 4023, pebble 4175, 4154 burgundy, 7179 smockey blue

Front side MDF nero **Wood veneer** Light oak, light ash

Surcharges

Synthetic resin	Special height	+ 111.-		
	others ARGOLite UNI colors	4%		
	others Fenix (Formex supermatt)			4%
Wood veneer	European walnut and smoked oak, max length for walnut veneer 250cm		6%	
Linoleum	others colors (Forbo desktop)		4%	
Table top	two-coloured, can be used on both sides	5%	6%	6%
Cable duct		+ 221.-		
Cable entry with aluminum cover		+ 221.-		
Cable entry with plastic cover		+ 111.-		
Adjustable feet (25 mm)		+ 66.-		





Table Flex 2.0, design Hanspeter Weidmann

Material Aluminium

Table size

alu clear anod.	alu black anodised
	alu light bronz anodised

TF 20090	200 / 90 cm	20 kg
TF 24090	240 / 90 cm	25 kg

2'531.-	3'249.-
2'962.-	3'525.-

Standard version: Table top and legs same design and colour
Table legs in Lehni colors powder coated

+ 166.-	+ 166.-
---------	---------



Aluminium Table 2, design Andreas Christen

Material Aluminium

Table size

alu clear anod.	alu black anodised
	alu light bronz anodised

AT 18080	180 / 80	17 kg
AT 16080	160 / 80	15.5 kg
AT 100100	100 / 100	12 kg
AT 8080	80 / 80	10.5 kg

1'826.-	2'345.-
1'670.-	2'142.-
1'385.-	1'778.-
1'140.-	1'465.-

standard version monochrome
Table legs in Lehni colors powder coated

169.-	225.-
-------	-------



Side Table, design Lehni

Material Aluminium

Table size

alu blank	Lehni colors
alu clear anod.	

BT 454545	45 / 45 / 45	4.5 kg
-----------	--------------	--------

497.-	518.-
-------	-------





Folding Table, design Willy Boesiger

Table size

Top Linoleum
black

KT 553568	55 / 35 / 68	6 kg
-----------	--------------	------

546.-






Miori Stool, design Thai Hua

Material Aluminium

alu clear anodised Lehni colors



MI

43 / 48 / 43

4 kg

359.-

388.-

Seat mat



MS 22

Felt gray


87.-



Office bench, design Andreas Christen

Material Aluminium

alu clear anodised Lehni color



OS 160

42 / 160 / 40

14 kg

723.-

780.-

Seat mat for office bench



OF 155

155 / 40

schwarz

298.-


Aluminium Module, design Thélonious Goupil

Material Aluminium

Maximum load 15 kg distributed across the width

alu blank untreated Lehni colors
alu clear anodised

alu black anodised
alu bronz anodised



AM M1


98 / 26 / 17 cm

3 kg

481.-

519.-

553.-



AM M2


65 / 46 / 17 cm

3 kg

481.-

519.-

553.-



AM M3


65 / 46 / 17 cm

with middle shelf 3.5 kg

624.-

685.-

718.-



AM M4

46 / 46 / 17 cm

3 kg

481.-

519.-


553.-





Anodized chair, design Andreas Christen

Material Aluminium



ST 0207

79 / 50

6 kg Plastic straps black, white


alu clear anodised
alu black anodised

718.-



Anodised Stacking chair, design Andreas Christen

Material Aluminium



ST 0307

79 / 53


6 kg Plastic straps black, white

601.-



Armchair Ensō, design Frédéric Dedelley & Christian Kägi

Material Aluminium



SE 01

72 / 67 / 42

5 kg without seat cover

alu clear anodised

alu black
anodised

alu bronz
anodised

862.-

972.-

1083.-

Sitzbezug

SS 0141

gravel - gray-white

354.-

SS 0148

limestone -olive gray

354.-



Lehni
swiss made
Wand-/Deckenleuchte
Wall/Ceiling lamp
Design Georg Gisler 1978


Lehni
swiss made
Wand-/Deckenleuchte
Wall/Ceiling lamp
Design Georg Gisler

Lehni
swiss made
Wand-/Deckenleuchte
Wall/Ceiling lamp
Design Georg Gisler

Lehni
swiss made
Wand-/Deckenleuchte
Wall/Ceiling lamp
Design Georg Gisler

Wall/ceiling Lamp, design Georg Gisel

Material Aluminium



WL 20	20	*Incl. LED 806 lm, dimmable
WL 30	30	*Incl. LED 806 lm, dimmable
WL 50	50	*Incl. LED 806 lm, dimmable

alu blank alu bronz anodised
alu clear anod.
white powder c.

193.-	224.-
224.-	265.-
286.-	358.-

Spare parts

WD 6001		Porcelain ceiling socket
WL SK60	6	LED A60 mirror head, 806lm, dimm.
WL SK95	9.5	LED G95 mirror head, 600lm, dimm.


45.-
20.-
27.-

General Informations

Socket: E27
Socket diameter 7 cm
Distance wall-rondelle 4.5 cm
LED bulb always supplied without guarantee

Floor lamp, design Andreas Christen

Material Steel



SL 180	180	incl. LED A60 white, 1521lm
SL 168	168	incl. LED A60 white, 1521lm

chrome-plated black powder coated

706.-	761.-
695.-	750.-

Spare parts

SA 2001	20	Acrylic glass screen
SF 8302		Tension socket
SL OG60	60	LED A60 white, 1521lm

122.-
50.-
10.-


General Informations

Socket: E27
LED bulb always supplied without guarantee



Screen, design Lehni

Material Aluminium




alu clear anodised Lehni colors

PA 18005	5-teilig	20 kg
PA 18004	4-teilig	15 kg
PA 18003	3-teilig	12 kg

1'470.-	1'586.-
1176.-	1269.-
882.-	951.-

Ovetto laundry bin, design Hanspeter Weidmann

Material Aluminium and plywood




alu clear anodised Lehni colors

OH	60 / 48	4 kg
----	---------	------

401.-	470.-
-------	-------

Fellx coar stand design Patrick Zulauf

Material Aluminium



Lehni colors


KF	126 / 46	4.5 kg
----	----------	--------

445.-



Serving tray

Material Aluminium



Outside of Switzerland: minimum order quantity 5 pieces


alu clear anodised
alu black anodised
alu bronz anodised

ST 5035	50 / 35 / 3	offene Ecken
ST 3535	35 / 35 / 3	offene Ecken

94.-
83.-

Rechaud

Material Aluminium



Outside of Switzerland: minimum order quantity 5 pieces

alu clear anodised alu black anodised

RE 16168	16 / 16 / 8
----------	-------------

99.-	122.-
------	-------

Removable Frame

Material Steel

black and white powder coated
Chrome-nickel steel


WH for portrait format

WQ for landscape format

Normal glass



Mirror

Refloglas
anti-reflective



21297	21	x	29.7	A4	81.-	101.-	106.-
29742	29.7	x	42	A3	98.-	123.-	126.-
42594	42	x	59.4	A2	119.-	149.-	164.-
59484	59.4	x	84	A1	177.-	221.-	260.-
3040	30	x	40		82.-	103.-	109.-
4040	40	x	40		103.-	128.-	134.-
4050	40	x	50		106.-	133.-	138.-
5050	50	x	50		120.-	150.-	165.-
5070	50	x	70		145.-	181.-	206.-
6060	60	x	60		149.-	187.-	211.-
6080	60	x	80		171.-	214.-	251.-
70100	70	x	100		217.-	271.-	329.-
895128	89.5	x	128	F4 Poster new format	354.-	442.-	530.-
905128	90.5	x	128	F4 Poster	354.-	442.-	530.-

- Special formats on request from 10 pcs.
- Acrylic glass on request
- Special color only for big quantity starting from 10 pieces
- **Only in Switzerland:** Without glass and without Pavatex possible from format 50x70
- **Outside of Switzerland:** always without glass, minimum order quantity 5 pieces



Lehni

Im Schörli 4
CH-8600 Dübendorf
lehni@lehni.ch
+41 44 802 12 12
lehni.ch

swiss made